

## Medication-Assisted Treatment Quick Facts

Initial Dose Increase:	In <b>most cases</b> , to increase to a higher dose after your first appointment, you must dose 7 days in a row. This allows the medication to stabilize in your system.
Future Dose Increases:	Will be determined by a medical provider, but your input is very important! The provider will assess your opioid withdrawal, any substance use, your medical conditions current medications you take, and your overall participation in treatment to help you be successful.
On the Day of a Medical Appointment:	Do not dose at the clinic until <i>after</i> your medical visit. This allows for a more accurate assessment. If you are attending a counseling or psychiatric appointment, you do not need to wait until after those visits to take your dose.
Central Scheduling:	(614) 224-4506 Option #1 to schedule or reschedule an appointment. You may also schedule appointments with a Patient Services staff member at the clinic.
Dosing Hours: Mon: 6am-1pm Tues: 5:30am-1pm Wed: 5:30am-1pm Thurs: 6am-1pm Fri: 6am-1pm Sat:6am-9am Sun: Closed	Arrive for dosing between <b>7am and 1pm Monday – Friday.</b>  Arrive for dosing between <b>6am and 9am Saturday.</b>  Although the dosing hours on the left end at 1pm or 9am, <b><u>ideally you should be checked in by 12:30pm or 8:30am in case you need to provide a urine drug screen.</u></b>

Urine Drug Screens/Toxicology:	This is a vital process that tells us how you are doing in treatment. For your safety, failure to provide a drug screen may result in you not receiving a dose or receiving a reduced dose that day.
Orientation Group:	A counselor will contact you and provide this group information over the phone in an individual session during the COVID pandemic.
Right Start Program #2:	Not offered during the COVID Pandemic
Right Start Program #3:	Not offered during the COVID Pandemic
Right Start Program #4:	Not offered during the COVID Pandemic
60 Day Assessment: Your 60 Days:	<p>We want to make sure we are helping you achieve your goals. One way we do this is to assess your treatment progress 60 days after your first dose. To show treatment is progressing, by day 60 a patient should:</p> <ul style="list-style-type: none"> <li>• Obtain at least 1 negative urine drug screen</li> <li>• Begin attending telehealth counseling sessions, having attended at least 2 sessions per month of individual and/or group counseling</li> </ul>
Medications:	For your safety, and to prevent dangerous interactions with your MAT medication, ALL medications (including over the counter) must be reviewed by medical staff for approval prior to starting the medication.
Prescription Drug Monitoring Program Database:	As part of your treatment, CompDrug is required to periodically run an online pharmacy report that shows any controlled substance medications filled at a pharmacy. This helps with treatment by allowing CompDrug to be aware if you have accessed medications that could interact dangerously with your MAT medication or could negatively impact your treatment.

Alcohol/Sedatives	Use of alcohol or sedatives like benzodiazepines with MAT medication <b>is</b> extremely dangerous and may result in rapid dose reductions or even a discontinuation of MAT treatment <b>and a referral to a higher level of care.</b>
-------------------	--